

# THE LORD OF INSTRUMENT SCHEDULE

LOTR - LW - DH -June 8th .lw4

Kevin Wallace

07 Jan 2008

Lighting Designer: Paul Pyant

Associate: David Howe,

Production Electrician:Gerry Amies

Spring 2007

## TABLE OF CONTENTS

Booth .....	1	SR Ladder 5 (SRL5) .....	22
Balcony Rail .....	1	Shins SR .....	22
Upper Circle Rail .....	2	Last Battle Shins SR .....	22
Grand Circle Rail .....	3	SL Boom 1 .....	23
Advance Crawl Truss .....	5	SL Boom 2 .....	23
Advance Crawl Truss-Rear .....	6	SL Boom 3 .....	23
FOH Truss .....	7	SL Ladder 1 (SLL1-Static) .....	24
Balcony SL Slips .....	8	SL Ladder 2 (SLL2- Moving) .....	24
Balcony SR Slips .....	8	SL Ladder 3 (SLL3) .....	24
SL Box 1 Balc .....	9	SL Boom 4 .....	24
SL Box 1 Upper Circ .....	9	SL Boom 5 .....	24
SL Box 1 Grand .....	9	SL Ladder 4 (SLL4) .....	25
SL Box 1 Under .....	9	SL Ladder 5 (SLL5) .....	25
SL Box 2 Balc .....	9	Shins SL .....	25
SL Box 2 Grand .....	10	Last Battle Shins SL .....	25
SL Box 3 Balc .....	10	Trap Room .....	26
SR Box 1 Balc .....	10	SL Fly Rail .....	26
SR Box 1 Upper Circ .....	10	SR Fly Rail .....	26
SR Box 1 Grand .....	10	SL Wing Workers .....	27
SR Box 1 Under .....	11	SR Wing Workers .....	27
SR Box 2 Balc .....	11	SL Plugging Floor .....	27
SR Box 2 Grand .....	11	US Crossover .....	27
SR Box 3 Balc .....	11	Bridge Work and Running Lights .....	28
SL Pros Boom .....	11	Lothlorien .....	29
SR Pros Boom .....	12	Mordor Bar .....	30
Electric 1 .....	12	Vanish Truck .....	30
Electric 2 .....	13	Mole Fan SL .....	30
Bridge 1SL .....	14	Mole Fan SR .....	30
Bridge 1SR .....	14	PSU's .....	30
Bridge 2 .....	15	House Lights .....	31
Bridge 3 .....	16	Moon Masking .....	31
Bridge 4 .....	17	SL Legs .....	31
Electric 3 .....	18	SR Legs .....	31
Electric 4 .....	19	Tormenter Header/Legs .....	31
SR Boom 1 .....	20	FOH Header .....	31
SR Boom 2 .....	20	SR Auditorium .....	31
SR Boom 3 .....	20	SL Auditorium .....	31
SR Ladder 1 (SRL1-Static) .....	21	USC .....	31
SR Ladder 2 (SRL2-Moving) .....	21	Apron .....	31
SR Ladder 3 (SRL3) .....	21	Orch Pit .....	32
SR Boom 4 .....	21	Grand Circle .....	32
SR Boom 5 .....	21	Stand .....	32
SR Ladder 4 (SRL4) .....	22	Cwt .....	32

# THE LORD OF INSTRUMENT SCHEDULE

LOTR - LW - DH - June 8th .lw4

Kevin Wallace

Spring 2007

Page 1

07 Jan 2008

Lighting Designer: Paul Pyant

Associate: David Howe,

Production Electrician: Gerry Amies

## Booth

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Juliat Cyrano 1015	2880w	FOH Spot 1	Juliat Cyrano 1015w/L6-30 2880w		(Nd)
2	Juliat Cyrano 1015	2880w	FOH Spot 2	Juliat Cyrano 1015w/L6-30 2880w		(Nd)
3	Juliat Cyrano 1015	2880w	FOH Spot 3	Juliat Cyrano 1015w/L6-30 2880w		(Nd)

## Balcony Rail

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
0x	5' S4	750w	Flying Elf	5' S4 750w	1/212	(422)
0x	5' S4	750w	TreeBeard Special	5' S4 750w	1/218	(423)
1	VL 3000Q Spot	1200w	VL 79	VL 3000Q Spot 1200w	3/421	(79)
2	10° S4	750w	DL	10° S4w/12" Tophat 750w	1/221	(363)
3	10° S4	750w	DL	10° S4w/12" Tophat 750w	1/222	(373)
4	10° S4	750w	C-L	10° S4w/12" Tophat 750w	1/223	(362)
5	10° S4	750w	C-L	10° S4w/12" Tophat 750w	1/224	(372)
7	10° S4	750w	C-R	10° S4w/12" Tophat 750w	1/225	(371)
8	10° S4	750w	C-R	10° S4w/12" Tophat 750w	1/226	(361)
9	10° S4	750w	DR	10° S4w/12" Tophat 750w	1/227	(370)
10	10° S4	750w	DR	10° S4w/12" Tophat 750w	1/228	(360)
11	VL 3000Q Spot	1200w	VL 78	VL 3000Q Spot 1200w	3/449	(78)

**Upper Circle Rail**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3500Q Spot	1200w	VL 4	VL 3500Q Spotw/- 1200w	4/153	(4)
2	26° S4	750w	Front Cloth	26° S4 750w	1/229	(603)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/1	(603s)
3	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/230	(635)
4	26° S4	750w	Front Cloth	26° S4 750w	1/229	(603)
4s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/3	(603s)
5	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/230	(635)
6	26° S4	750w	Front Cloth	26° S4 750w	1/231	(602)
6s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/5	(602s)
7	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/232	(634)
8	26° S4	750w	Front Cloth	26° S4 750w	1/231	(602)
8s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/7	(602s)
9	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/232	(634)
11	25/50° S4	750w	Ring	25/50° S4 750w	1/233	(345)
12	25/50° S4	750w	Ring	25/50° S4 750w	1/234	(340)
14	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/235	(633)
15	26° S4	750w	Front Cloth	26° S4 750w	1/236	(601)
15s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/9	(601s)
16	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/235	(633)
17	26° S4	750w	Front Cloth	26° S4 750w	1/236	(601)
17s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/11	(601s)
18	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/237	(632)
19	26° S4	750w	Front Cloth	26° S4 750w	1/238	(600)
19s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/13	(600s)
20	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/237	(632)
21	26° S4	750w	Front Cloth	26° S4 750w	1/238	(600)
21s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/15	(600s)
22	VL 3500Q Spot	1200w	VL 1	VL 3500Q Spotw/- 1200w	4/184	(1)

**Grand Circle Rail**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Rivendell Stg Enviro	19° S4 750w	1/307	(359)
2	26° S4	750w	SR High Box 1	26° S4 750w	1/308	(605)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/20	(605s)
3	26° S4	750w	SR Mid Box 1	26° S4w/6.25"Tophat 750w	1/309	(631)
4	26° S4	750w	SR Mid Box 1	26° S4 750w	1/308	(605)
4s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/22	(605s)
5	26° S4	750w	SR Mid Box 1	26° S4w/6.25"Tophat 750w	1/309	(631)
6	19° S4	750w	Rivendell Stg Enviro	19° S4w/12"Tophat 750w	1/310	(358)
7	26° S4	750w	Prosc Header Env CSR	26° S4w/6.25"Tophat 750w	1/311	(630)
8	26° S4	750w	Prosc Header Env CSR	26° S4w/6.25"Tophat 750w	1/312	(629)
9	VL 3500Q Spot	1200w	VL 6	VL 3500Q Spotw/- 1200w	4/1	(6)
10	26° S4	750w	Prosc Header Env SR	26° S4w/6.25"Tophat 750w	1/311	(630)
11	26° S4	750w	Prosc Header Env SR	26° S4w/6.25"Tophat 750w	1/312	(629)
12	19° S4	750w	Rivendell Stg Enviro	19° S4w/12"Tophat 750w	1/313	(357)
13	26° S4	750w	Prosc Header Env CSL	26° S4 750w	1/314	(303)
13s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/24	(303s)
14	26° S4	750w	Front Cloth	26° S4w/6.25"Tophat 750w	1/315	(341)
14a	VL 3500Q Spot	1200w	VL 3	VL 3500Q Spotw/- 1200w	4/32	(3)
15	26° S4	750w	Header	26° S4 750w	1/316	(302)
15s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/26	(302s)
16	VL 3000Q Spot	1200w	VL 77	VL 3000Q Spot 1200w	4/63	(77)
16a	Clip Light	8w	Spotting Light	Clip Light 8w	1/339	(1013)
17	26° S4	750w	Header	26° S4 750w	1/317	(301)
17a	VL 3500Q Spot	1200w	VL 2	VL 3500Q Spotw/- 1200w	4/91	(2)
17s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/28	(301s)
18	19° S4	750w	Front Cloth	19° S4w/6.25"Tophat 750w	1/318	(342)
19	26° S4	750w	Prosc Header Env CSR	26° S4 750w	1/319	(300)
19s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/30	(300s)
20	19° S4	750w	Rivendell Stg Enviro	19° S4w/12"Tophat 750w	1/320	(356)
21	26° S4	750w	Prosc Header Env SL	26° S4w/6.25"Tophat 750w	1/321	(628)
22	26° S4	750w	Prosc Header Env SL	26° S4w/6.25"Tophat 750w	1/322	(627)
23	VL 3500Q Spot	1200w	VL 5	VL 3500Q Spotw/- 1200w	4/122	(5)
24	26° S4	750w	Prosc Header Env CSL	26° S4w/6.25"Tophat 750w	1/321	(628)

**Grand Circle Rail**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
25	26° S4	750w	Prosc Header Env CSL	26° S4w/6.25"Tophat 750w	1/322	(627)
26	19° S4	750w	Rivendell Stg Enviro	19° S4w/12"Tophat 750w	1/323	(355)
27	26° S4	750w	SL Hi Box 1	26° S4w/6.25"Tophat 750w	1/324	(626)
28	26° S4	750w	SL Mid Box 1	26° S4 750w	1/337	(604)
28s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/32	(604s)
29	26° S4	750w	SL Mid Box 1	26° S4w/6.25"Tophat 750w	1/324	(626)
30	26° S4	750w		26° S4 750w	1/337	(604)
30s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/34	(604s)
31	19° S4	750w	Rivendell Stg Enviro	19° S4 750w	1/338	(354)
A1	Blackout Box	10w	Monitors	Blackout Box 10w	11/500	(1010)
A31	Blackout Box	10w	Monitors	Blackout Box 10w	11/500	(1010)

**Advance Crawl Truss**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
0w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/361	(1001)
1	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/362	(637)
2	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/363	(642)
3	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/362	(637)
4	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/364	(379)
5	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/365	(378)
6	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/363	(642)
7	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/366	(368)
8	10° S4	750w	Call - D/SL	10° S4w/12"Tophat 750w	1/367	(365)
9	VL 3000Q Spot	1200w	VL 83	VL 3000Q Spotw/- 1200w	3/1	(83)
10	10° S4	750w	Call -D/C-L	10° S4w/12"Tophat 750w	1/368	(375)
10a	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/361	(1001)
10b	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/369	(1001)
11	10° S4	750w	Call -D/C-R	10° S4w/12"Tophat 750w	1/370	(374)
12	VL 3000Q Spot	1200w	VL 82	VL 3000Q Spotw/- 1200w	3/29	(82)
13	10° S4	750w	Call - D/SR	10° S4w/12"Tophat 750w	1/371	(364)
14	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/372	(367)
15	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/373	(641)
16	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/374	(377)
17	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/375	(376)
18	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/376	(636)
19	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/373	(641)
20	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/376	(636)
20a		575w	Worklight	575w	1/369	(1001)
21	Rose Petal Machine		Roses BHR power	Rose Petal Machine		
21p			Roses BHR On		3/477	(1691)
21v			Roses BHR volume		3/478	(1701)
22	Bowens JetStream Fan		HL Petal Dist	Bowens JetStream Fan	3/483	(1671)
22p			Power			
23	Rose Petal Machine		Roses BHC power	Rose Petal Machine		
23p			Roses BHC On		3/479	(1692)
23v			Roses BHC volume		3/480	(1702)
24	Bowens JetStream Fan		HC Petal Dist	Bowens JetStream Fan	3/484	(1672)
24p			Power			
25	Rose Petal Machine		Roses BHL power	Rose Petal Machine		
25p			Roses BHL On		3/481	(1693)
25v			Roses BHL volume		3/482	(1703)
26	Bowens JetStream Fan		HR Petal Dist	Bowens JetStream Fan	3/485	(1673)

**Advance Crawl Truss**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
26p			Power			
27	RE 111 Fan		SL	RE 111 Fan	3/500	(1686)
27p			Power			
28	RE 111 Fan			RE 111 Fan	3/501	(1685)
28p			Power			
29	RE 111 Fan			RE 111 Fan	3/502	(1684)
29p			Power			
30	RE 111 Fan			RE 111 Fan	3/503	(1683)
30p			Power			
31	RE 111 Fan			RE 111 Fan	3/504	(1682)
31p			Power			
32	RE 111 Fan		SR	RE 111 Fan	3/505	(1681)
32p			Power			

**Advance Crawl Truss-Rear**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
21	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/379	(650)
22	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/379	(650)
23	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/380	(651)
24	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/381	(651)
25	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/382	(650)
26	19° S4	750w	Stalls Enviro	19° S4w/6.25"Tophat 750w	1/382	(650)

**FOH Truss**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 49	VL 3000Q Spotw/- 1200w	3/57	(49)
2	VL 3000Q Spot	1200w	VL 18	VL 3000Q Spotw/- 1200w	3/85	(18)
3	19° S4	750w	Enviro	19° S4w/6.25"Tophat 750w	1/151	(647)
4	19° S4	750w	Enviro	19° S4w/6.25"Tophat 750w	1/153	(649)
5	19° S4	750w	DR Apron	19° S4 750w	1/152	(217)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/40	(217s)
6	VL 3000Q Spot	1200w	VL 17	VL 3000Q Spotw/- 1200w	3/113	(17)
7	19° S4	750w	DL Apron	19° S4 750w	1/155	(216)
7s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/42	(216s)
8	19° S4	750w	Bag/Bree	19° S4w/6.25"Tophat 750w	1/154	(392)
9	19° S4	750w	Bag/Bree	19° S4w/6.25"Tophat 750w	1/156	(393)
10	19° S4	750w	DL Apron	19° S4 750w	1/157	(215)
10s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/44	(215s)
11w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/29	(1008)
12	19° S4	750w	D/R Apron	19° S4 750w	1/158	(214)
12s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/46	(214s)
13	VL 3000Q Spot	1200w	VL 16	VL 3000Q Spotw/- 1200w	3/141	(16)
14w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
15	VL 3000Q Spot	1200w	VL 15	VL 3000Q Spotw/- 1200w	3/169	(15)
16w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
17	VL 3000Q Spot	1200w	VL 14	VL 3000Q Spotw/- 1200w	3/197	(14)
18	19° S4	750w	DL Apron	19° S4 750w	1/159	(213)
18s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/48	(213s)
19	19° S4	750w	DR Apon	19° S4 750w	1/160	(212)
19s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/50	(212s)
20w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/29	(1008)
21	19° S4	750w	Bag/Bree	19° S4w/6.25"Tophat 750w	1/161	(391)
22	19° S4	750w	Bag/Bree	19° S4w/6.25"Tophat 750w	1/163	(390)
23	19° S4	750w	D/R Apron	19° S4 750w	1/162	(211)
23s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/52	(211s)
24	VL 3000Q Spot	1200w	VL 13	VL 3000Q Spotw/- 1200w	3/225	(13)
25	19° S4	750w	DL Apron	19° S4 750w	1/164	(210)
25s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/54	(210s)
26	19° S4	750w	Enviro	19° S4w/6.25"Tophat 750w	1/166	(648)
27	19° S4	750w	Enviro	19° S4w/6.25"Tophat 750w	1/165	(646)
28	VL 3000Q Spot	1200w	VL 12	VL 3000Q Spotw/- 1200w	3/253	(12)
29	VL 3000Q Spot	1200w	VL 46	VL 3000Q Spotw/- 1200w	3/281	(46)
30	Rose Petal Machine		Roses HR power	Rose Petal Machine		
30p	Rose Petal Machine		Roses HR On	Rose Petal Machine	3/486	(1695)
30v	Rose Petal Machine		Roses HR volume	Rose Petal Machine	3/487	(1704)
31	Bowens JetStream Fan		BHR Petal Dist	Bowens JetStream Fan	3/492	(1674)
31p			Power			
32	Rose Petal Machine		Roses HC power	Rose Petal Machine		

# THE LORD OF INSTRUMENT SCHEDULE

LOTR - LW - DH -June 8th .lw4

## FOH Truss

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
32p	Rose Petal Machine		Roses HC On	Rose Petal Machine	3/488	(1696)
32v	Rose Petal Machine		Roses HC volume	Rose Petal Machine	3/489	(1705)
33	Bowens JetStream Fan		BHC Petal Dist	Bowens JetStream Fan	3/493	(1675)
33p			Power			
34	Rose Petal Machine		Roses HL power	Rose Petal Machine		
34p	Rose Petal Machine		Roses HL On	Rose Petal Machine	3/490	(1694)
34v	Rose Petal Machine		Roses HL volume	Rose Petal Machine	3/491	(1706)
35	Bowens JetStream Fan		BHL Petal Dist	Bowens JetStream Fan	3/494	(1676)
35p			Power			

## Balcony SL Slips

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 84	VL 3000Q Spotw/- 1200w	3/309	(84)
2	19° S4	750w	Enviro	19° S4 750w	1/205	(607)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/82	(607s)
3	19° S4	750w	Enviro	19° S4 750w	1/205	(607)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/84	(607s)
4	VL 3000Q Spot	1200w	VL 85	VL 3000Q Spotw/- 1200w	3/337	(85)
5	10° S4	750w	DCR Gobo Cover	10° S4w/12"Tophat 750w	1/206	(352)
6	19° S4	750w	SR Box 3 Low	19° S4w/6.25"Tophat 750w	1/207	(640)
7	19° S4	750w	SR Orch Box 1	19° S4 750w	1/208	(611)
7s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/86	(611s)
8	10° S4	750w	DCR Gobo Cover	10° S4w/12"Tophat 750w	1/209	(353)
9	19° S4	750w	SR Box 3 Low	19° S4w/6.25"Tophat 750w	1/207	(640)
10	19° S4	750w	SR Orch Box 1	19° S4 750w	1/208	(611)
10s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/88	(611s)

## Balcony SR Slips

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 80	VL 3000Q Spotw/- 1200w	3/365	(80)
2	19° S4	750w	Enviro	19° S4 750w	1/213	(606)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/122	(606s)
3	19° S4	750w	Enviro	19° S4 750w	1/213	(606)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/124	(606s)
4	VL 3000Q Spot	1200w	VL 81	VL 3000Q Spotw/- 1200w	3/393	(81)
5	10° S4	750w	DCL Gobo Cover	10° S4w/12"Tophat 750w	1/214	(351)
6	19° S4	750w	SL Box 3 Low	19° S4w/6.25"Tophat 750w	1/215	(639)
7	19° S4	750w	SL Orch Box 1	19° S4 750w	1/216	(610)
7s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/126	(610s)
8	10° S4	750w	DCL Gobo Cover	10° S4w/12"Tophat 750w	1/217	(350)
9	19° S4	750w	SL Box 3 Low	19° S4w/6.25"Tophat 750w	1/215	(639)
10	19° S4	750w	SL Orch Box 1	19° S4 750w	1/216	(610)
10s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/128	(610s)

**SL Box 1 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 48	VL 3000Q Spotw/- 1200w	4/227	(48)
2	19° S4	750w	Enviro	19° S4 750w	1/48	(609)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/62	(609s)
3	19° S4	750w	Enviro	19° S4 750w	1/48	(609)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/64	(609s)

**SL Box 1 Upper Circ**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
3	MrtN Atomic Strb	1500w	EFX	MrtN Atomic Strb 1500w	4/475	(526)
4	36° S4	750w	Prosc Header Enviro	36° S4 750w	1/50	(291)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/66	(291s)
5	26° S4	750w	SR Pros Enviro	26° S4 750w	1/49	(293)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/68	(293s)
6	Cly-Pky Halo Wash	1kw	HALO 118	Cly-Pky Halo Washw/- 1kw	4/268	(118)
7	Cly-Pky Halo Wash	1kw	HALO 119	Cly-Pky Halo Washw/- 1kw	4/255	(119)

**SL Box 1 Grand**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
8	Cly-Pky Halo Wash	1kw	HALO 166	Cly-Pky Halo Wash 1kw	4/281	(166)
9	26° S4	750w	Enviroment Header CL to SR	26° S4w/6.25"Tophat 750w	1/189	(690)
10	36° S4	750w	Enviroment Header CL to SR	36° S4w/6.25"Tophat 750w	1/190	(691)
10	MrtN Atomic Strb	1500w		MrtN Atomic Strb 1500w	4/479	(510)
11	26° S4	750w	Enviroment Header CL to SR	26° S4w/6.25"Tophat 750w	1/191	(692)
12	36° S4	750w	Enviroment Header CL to SR	36° S4w/6.25"Tophat 750w	1/192	(693)

**SL Box 1 Under**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
13	26° S4	750w	SR Prosc Enviro	26° S4 750w	1/195	(619)
13s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/80	(619s)
14	26° S4	750w	Pros SR Bot	26° S4 750w	1/194	(734)
15	36° S4	750w	Bree DS Line	36° S4 750w	1/193	(621)
15s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/78	(621s)

**SL Box 2 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 50	VL 3000Q Spotw/- 1200w	4/361	(50)
2	R&V Spot	1kw	SL Box Spot 1	R&V Spotw/Spill Ring 1kw	1/47	(201)
2d	R&V Douser	300w	Spot Douser	R&V Douser 300w		
2s	R&V Scroller	150w	Spot Scroll	R&V Scroller 150w	2/300	(201s)

**SL Box 2 Grand**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
3	VL 3000Q Spot	1200w	VL 58	VL 3000Q Spot 1200w	4/389	(58)

**SL Box 3 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Truss-X	19° S4w/6.25"Tophat 750w	1/45	(415)
2	19° S4	750w	Truss-X	19° S4 750w	1/46	(413)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/60	(413s)
3	MDG Atmosphere	1500w	Haze	MDG Atmosphere 1500w		(550)
3p		1500w	Haze (Heat)	1500w	4/473	(550p)
3v		1500w	Haze (Haze Go!)	1500w	4/474	(550v)
4	Bowens JetStream Fan			Bowens JetStream Fan	4/491	

**SR Box 1 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 45	VL 3000Q Spotw/- 1200w	4/294	(45)
2	19° S4	750w	Enviro	19° S4 750w	1/103	(608)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/102	(608s)
3	19° S4	750w	Enviro	19° S4 750w	1/103	(608)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/104	(608s)

**SR Box 1 Upper Circ**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
3	MrtN Atomic Strb	1500w	EFX	MrtN Atomic Strb 1500w	4/483	(527)
4	26° S4	750w	SL Pros Enviro	26° S4 750w	1/105	(292)
4s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/108	(292s)
5	36° S4	750w	Prosc Header Enviro	36° S4 750w	1/104	(290)
5s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/106	(290s)
6	Cly-Pky Halo Wash	1kw	HALO 116	Cly-Pky Halo Washw/- 1kw	4/335	(116)
7	Cly-Pky Halo Wash	1kw	HALO 117	Cly-Pky Halo Washw/- 1kw	4/322	(117)

**SR Box 1 Grand**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
8	Cly-Pky Halo Wash	1kw	HALO 165	Cly-Pky Halo Wash 1kw	4/348	(165)
9	26° S4	750w	Enviroment Header CL to SL	26° S4w/6.25"Tophat 750w	1/197	(694)
10	36° S4	750w	Enviroment Header CL to SL	36° S4w/6.25"Tophat 750w	1/198	(695)
10	MrtN Atomic Strb	1500w		MrtN Atomic Strb 1500w	4/487	(511)
11	26° S4	750w	Enviroment Header CL to SL	26° S4w/6.25"Tophat 750w	1/199	(696)
12	36° S4	750w	Enviroment Header CL to SL	36° S4w/6.25"Tophat 750w	1/200	(697)

**SR Box 1 Under**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
13	26° S4	750w	SL Prosc Enviro	26° S4 750w	1/203	(618)
13s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/120	(618s)
14	26° S4	750w	Pros SL Bot	26° S4 750w	1/202	(733)
15	36° S4	750w	Bree DS Line	36° S4 750w	1/201	(620)
15s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/118	(620s)

**SR Box 2 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 47	VL 3000Q Spotw/- 1200w	4/417	(47)
2	R&V Spot	1kw	SR Box Spot 2	R&V Spotw/Spill Ring 1kw	1/102	(200)
2d	R&V Douser	300w	Spot Douser	R&V Douser 300w		
2s	R&V Scroller	150w	Spot Scroll	R&V Scroller 150w	2/310	(200s)

**SR Box 2 Grand**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
3	VL 3000Q Spot	1200w	VL 55	VL 3000Q Spot 1200w	4/445	(55)

**SR Box 3 Balc**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Truss-X	19° S4w/6.25"Tophat 750w	1/100	(414)
2	19° S4	750w	Truss-X	19° S4 750w	1/101	(412)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/100	(412s)

**SL Pros Boom**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
			EFX			
1	26° S4	750w	U/C	26° S4 750w	1/76	(222)
1s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/70	(222s)
2	26° S4	750w	U/C	26° S4 750w	1/77	(223)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/72	(223s)
4	36° S4	750w	Corridor X	36° S4 750w	1/80	(224)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/74	(224s)
5	26° S4	750w	Enviro	26° S4w/6.25"Tophat,Tee 750w	1/79	(672)
6	36° S4	750w	Corridor X	36° S4 750w	1/82	(225)
6s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/76	(225s)
7	26° S4	750w	Enviro	26° S4w/6.25"Tophat,Tee 750w	1/81	(673)
8	26° S4	750w	Isengard D/S tight Box	26° S4w/6.25"Tophat,Tee 750w	1/83	(387)
9	S4PAR64 MFL	575w	Bree Bench Fill	S4PAR64 MFL 575w	1/84	(737)

**SR Pros Boom**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	26° S4	750w	U/C	26° S4 750w	1/89	(218)
1s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/110	(218s)
2	26° S4	750w	M/C	26° S4 750w	1/90	(219)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/112	(219s)
4	36° S4	750w	Corridor X	36° S4 750w	1/93	(220)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/114	(220s)
5	26° S4	750w	Enviro	26° S4w/6.25"Tophat,Tee 750w	1/92	(670)
6	36° S4	750w	Low X (Prosc)	36° S4 750w	1/95	(221)
6s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/116	(221s)
7	26° S4	750w	Enviro	26° S4w/6.25"Tophat,Tee 750w	1/94	(671)
8	26° S4	750w	Isengard D/S tight Box	26° S4w/6.25"Tophat,Tee 750w	1/96	(383)
9	S4PAR64 MFL	575w	Bree Bench Fill	S4PAR64 MFL 575w	1/97	(736)

**Electric 1**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
A1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/6	(207)
A2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/7	(206)
A3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/8	(205)
B1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/6	(207)
B2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/7	(206)
B3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/8	(205)
C1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/9	(207)
C2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/10	(206)
C3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/11	(205)
D1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/9	(207)
D2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/10	(206)
D3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/11	(205)
E1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/16	(207)
E2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/17	(206)
E3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/28	(205)
F1	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/16	(207)
F2	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/17	(206)
F3	Strip 6' EYF	750w	Show Scrim	Strip 6' EYF 750w	1/28	(205)

# THE LORD OF INSTRUMENT SCHEDULE

LOTR - LW - DH -June 8th .lw4

Page 13  
07 Jan 2008

## Electric 2

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 54	VL 3000Q Spot 1200w	5/1	(54)
2	19° S4	750w	Fellowship Sp	19° S4w/Iris S4/6.25" Tophat 750w	1/61	(680)
3	VL 3000Q Spot	1200w	VL 74	VL 3000Q Spot 1200w	5/29	(74)
4	19° S4	750w	Fellowship Sp	19° S4w/Iris S4/6.25" Tophat 750w	1/62	(681)
5	DLC-8lamp MFL	2kw	DLC 152	DLC-8lamp MFL 2kw	1/85	(164)
5a	Power	100w	Power	Power 100w		
5c	Colour	100w	DLC Colour	Colour 100w	5/204	(164c)
5t	Tilt	100w	DLC Tilt	Tilt 100w	5/205	
6	Mrtm Atomic Strb	1500w	S/Efx	Mrtm Atomic Strb 1500w	6/209	(524)
6p			Power			
7	VL 3000Q Spot	1200w	VL 73	VL 3000Q Spot 1200w	5/57	(73)
8	DLC-8lamp MFL	2kw	DLC 152	DLC-8lamp MFL 2kw	1/86	(163)
8a	Power	100w	Power	Power 100w		
8t	Tilt	100w	DLC Tilt	Tilt 100w	5/203	
9	VL 3000Q Spot	1200w	VL 72	VL 3000Q Spot 1200w	5/85	(72)
9c	Colour	100w	DLC Colour	Colour 100w	5/202	(163c)
10	DLC-8lamp MFL	2kw	DLC 152	DLC-8lamp MFL 2kw	1/87	(162)
10a	Power	100w	Power	Power 100w		
10c	Colour	100w	DLC Colour	Colour 100w	5/200	(162c)
10t	Tilt	100w	DLC Tilt	Tilt 100w	5/201	
11	VL 3000Q Spot	1200w	VL 71	VL 3000Q Spot 1200w	5/113	(71)
12	Mrtm Atomic Strb	1500w	S/Efx	Mrtm Atomic Strb 1500w	6/214	(523)
12p			Power			
13	DLC-8lamp MFL	2kw	DLC 152	DLC-8lamp MFL 2kw	1/88	(161)
13a	Power	100w	Power	Power 100w		
13c	Colour	100w	DLC Colour	Colour 100w	5/198	(161c)
13t	Tilt	100w	DLC Tilt	Tilt 100w	5/199	
14	19° S4	750w	Fellowship Sp	19° S4w/Iris S4/6.25" Tophat 750w	1/65	(688)
15	VL 3000Q Spot	1200w	VL 70	VL 3000Q Spotw/- 1200w	5/141	(70)
16	19° S4	750w	Fellowship Sp	19° S4w/Iris S4/6.25" Tophat 750w	1/66	(689)
17	VL 3000Q Spot	1200w	VL 51	VL 3000Q Spot 1200w	5/169	(51)
A			Reset		5/197	

# THE LORD OF INSTRUMENT SCHEDULE

LOTR - LW - DH - June 8th .lw4

Page 14  
07 Jan 2008

## Bridge 1SL

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Cly-Pky Halo Wash	1kw	HALO 99	Cly-Pky Halo Wash 1kw	6/1	(99)
2	VL 3000Q Spot	1200w	VL 27	VL 3000Q Spot 1200w	6/14	(27)
3	Cly-Pky Halo Wash	1kw	HALO 98	Cly-Pky Halo Wash 1kw	6/42	(98)
4	VL 3000Q Spot	1200w	VL 26	VL 3000Q Spot 1200w	6/55	(26)
5	Cly-Pky Halo Wash	1kw	HALO 97	Cly-Pky Halo Wash 1kw	6/83	(97)
6	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	6/479	(507)
7w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/67	(1006)
8	VL 3000Q Spot	1200w	VL 25	VL 3000Q Spot 1200w	6/96	(25)
9	Cly-Pky Halo Wash	1kw	HALO 96	Cly-Pky Halo Wash 1kw	6/124	(96)
10	VL 3500Q Spot	1200w	VL 8	VL 3500Q Spot 1200w	6/137	(8)
11	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	6/483	(509)
12w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
13	Cly-Pky Halo Wash	1kw	HALO 95	Cly-Pky Halo Wash 1kw	6/168	(95)
14	VL 3000Q Spot	1200w	VL 24	VL 3000Q Spot 1200w	6/181	(24)

## Bridge 1SR

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
15	VL 3000Q Spot	1200w	VL 23	VL 3000Q Spot 1200w	6/271	(23)
16	Cly-Pky Halo Wash	1kw	HALO 94	Cly-Pky Halo Wash 1kw	6/299	(94)
17	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	6/487	(508)
18w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
19	VL 3500Q Spot	1200w	VL 7	VL 3500Q Spot 1200w	6/312	(7)
20	Cly-Pky Halo Wash	1kw	HALO 93	Cly-Pky Halo Wash 1kw	6/343	(93)
21	VL 3000Q Spot	1200w	VL 22	VL 3000Q Spot 1200w	6/356	(22)
22	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	6/491	(506)
23w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/286	(1006)
24	Cly-Pky Halo Wash	1kw	HALO 92	Cly-Pky Halo Wash 1kw	6/384	(92)
24	VL 3000Q Spot	1200w	VL 21	VL 3000Q Spot 1200w	6/397	(21)
26	Cly-Pky Halo Wash	1kw	HALO 91	Cly-Pky Halo Wash 1kw	6/425	(91)
27	VL 3000Q Spot	1200w	VL 20	VL 3000Q Spot 1200w	6/438	(20)
28	Cly-Pky Halo Wash	1kw	HALO 90	Cly-Pky Halo Wash 1kw	6/466	(90)

**Bridge 2**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
2	VL 3000Q Spot	1200w	VL 53	VL 3000Q Spot 1200w	5/212	(53)
3w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/13	(1006)
4	Cly-Pky Halo Wash	1kw	HALO 103	Cly-Pky Halo Wash 1kw	5/240	(103)
5	VL 3000Q Spot	1200w	VL 34	VL 3000Q Spot 1200w	5/253	(34)
6	Cly-Pky Halo Wash	1kw	HALO 102	Cly-Pky Halo Wash 1kw	5/281	(102)
7	VL 3000Q Spot	1200w	VL 33	VL 3000Q Spot 1200w	5/294	(33)
8	DLC-8lamp MFL	2kw	DLC 152	DLC-8lamp MFL 2kw	1/121	(152)
8a	Power	100w	Power	Power 100w		
8c	Colour	100w	DLC Colour	Colour 100w	5/489	(152c)
8t	Tilt	100w	DLC Tilt	Tilt 100w	5/490	(152t)
9	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	5/495	(513)
10w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/13	(1006)
11	VL 3000Q Spot	1200w	VL 32	VL 3000Q Spot 1200w	5/322	(32)
12	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	5/499	(515)
13w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
14	UV	400w	Crack of Doom	UV 400w	6/495	(561)
15	VL 3000Q Spot	1200w	VL 19	VL 3000Q Spot 1200w	6/243	(19)
16	UV	400w	Crack of Doom	UV 400w	6/495	(561)
17	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	5/503	(514)
18w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
19	VL 3000Q Spot	1200w	VL 31	VL 3000Q Spot 1200w	5/350	(31)
20	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	5/507	(512)
21w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/14	(1006)
22	DLC-8lamp MFL	2kw	DLC 150	DLC-8lamp MFL 2kw	1/123	(150)
22a	Power	100w	Power	Power 100w		
22c	Colour	100w	DLC Colour	Colour 100w	5/493	(150c)
22t	Tilt	100w	DLC Tilt	Tilt 100w	5/494	(150t)
23	VL 3000Q Spot	1200w	VL 30	VL 3000Q Spot 1200w	5/378	(30)
24	Cly-Pky Halo Wash	1kw	HALO 101	Cly-Pky Halo Wash 1kw	5/406	(101)
25	VL 3000Q Spot	1200w	VL 29	VL 3000Q Spot 1200w	5/419	(29)
26	Cly-Pky Halo Wash	1kw	HALO 100	Cly-Pky Halo Wash 1kw	5/447	(100)
27	VL 3000Q Spot	1200w	VL 52	VL 3000Q Spot 1200w	5/460	(52)
A	DLT	200w	Reset	DLT 200w	5/488	(151.20)

**Bridge 3**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
2	VL 3000Q Spot	1200w	VL 57	VL 3000Q Spot 1200w	7/1	(57)
3	Cly-Pky Halo Wash	1kw	HALO 111	Cly-Pky Halo Wash 1kw	7/29	(111)
4w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/37	(1006)
5	Cly-Pky Halo Wash	1kw	HALO 110	Cly-Pky Halo Wash 1kw	7/42	(110)
6	VL 3000Q Spot	1200w	VL 40	VL 3000Q Spot 1200w	7/55	(40)
7	Cly-Pky Halo Wash	1kw	HALO 109	Cly-Pky Halo Wash 1kw	7/83	(109)
8	VL 3000Q Spot	1200w	VL 39	VL 3000Q Spot 1200w	7/96	(39)
9	VL 3500Q Spot	1200w	VL 11	VL 3500Q Spot 1200w	7/124	(11)
10	VL 3000Q Spot	1200w	VL 38	VL 3000Q Spot 1200w	7/155	(38)
11	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	7/422	(519)
12	Cly-Pky Halo Wash	1kw	HALO 108	Cly-Pky Halo Wash 1kw	7/183	(108)
13	VL 3500Q Spot	1200w	VL 10	VL 3500Q Spot 1200w	7/196	(10)
14	Cly-Pky Halo Wash	1kw	HALO 107	Cly-Pky Halo Wash 1kw	7/227	(107)
15	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	7/426	(518)
16	VL 3000Q Spot	1200w	VL 37	VL 3000Q Spot 1200w	7/240	(37)
17	VL 3500Q Spot	1200w	VL 9	VL 3500Q Spot 1200w	7/268	(9)
18	VL 3000Q Spot	1200w	VL 36	VL 3000Q Spot 1200w	7/299	(36)
19	Cly-Pky Halo Wash	1kw	HALO 106	Cly-Pky Halo Wash 1kw	7/327	(106)
20	VL 3000Q Spot	1200w	VL 35	VL 3000Q Spot 1200w	7/340	(35)
21	Cly-Pky Halo Wash	1kw	HALO 105	Cly-Pky Halo Wash 1kw	7/368	(105)
22w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/38	(1006)
23	Cly-Pky Halo Wash	1kw	HALO 104	Cly-Pky Halo Wash 1kw	7/381	(104)
24	VL 3000Q Spot	1200w	VL 56	VL 3000Q Spot 1200w	7/394	(56)

**Bridge 4**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	VL 3000Q Spot	1200w	VL 64	VL 3000Q Spot 1200w	8/1	(64)
2	VL 3000Q Spot	1200w	VL 63	VL 3000Q Spot 1200w	8/29	(63)
3	Cly-Pky Halo Wash	1kw	HALO 114	Cly-Pky Halo Wash 1kw	8/57	(114)
4	VL 3000Q Spot	1200w	VL 62	VL 3000Q Spot 1200w	8/70	(62)
5	DLC-8lamp MFL	2kw	DLC 155	DLC-8lamp MFL 2kw	1/73	(155)
5a	Power	100w	Power	Power 100w		
5c	Colour	100w	DLC Colour	Colour 100w	8/278	(155c)
5t	Tilt	100w	DLC Tilt	Tilt 100w	8/279	(155t)
6	Cly-Pky Halo Wash	1kw	HALO 115	Cly-Pky Halo Wash 1kw	8/98	(115)
7	VL 3000Q Spot	1200w	VL 42	VL 3000Q Spot 1200w	8/111	(42)
8	DLC-8lamp MFL	2kw	DLC 154	DLC-8lamp MFL 2kw	1/74	(154)
8a	Power	100w	Power	Power 100w		
8c	Colour	100w	DLC Colour	Colour 100w	8/280	(154c)
8t	Tilt	100w	DLC Tilt	Tilt 100w	8/281	(154t)
9	VL 3000Q Spot	1200w	VL 41	VL 3000Q Spot 1200w	8/139	(41)
10	Cly-Pky Halo Wash	1kw	HALO 112	Cly-Pky Halo Wash 1kw	8/167	(112)
11	DLC-8lamp MFL	2kw	DLC 153	DLC-8lamp MFL 2kw	1/75	(153)
11a	Power	100w	Power	Power 100w		
11c	Colour	100w	DLC Colour	Colour 100w	8/282	(153c)
11t	Tilt	100w	DLC Tilt	Tilt 100w	8/283	(153t)
12	VL 3000Q Spot	1200w	VL 61	VL 3000Q Spot 1200w	8/180	(61)
13	Cly-Pky Halo Wash	1kw	HALO 113	Cly-Pky Halo Wash 1kw	8/208	(113)
14	VL 3000Q Spot	1200w	VL 60	VL 3000Q Spot 1200w	8/221	(60)
15	VL 3000Q Spot	1200w	VL 59	VL 3000Q Spot 1200w	8/249	(59)
A	DLT	200w	Reset	DLT 200w	8/277	(154.20)

**Electric 3**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
2w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/117	(1006)
3	VL 3000Q Spot	1200w	VL 68	VL 3000Q Spot 1200w	8/284	(68)
4	DLC-8lamp MFL	2kw	DLC 160	DLC-8lamp MFL 2kw	1/112	(160)
4a	Power	100w	Power	Power 100w		
4c	Colour	100w	DLC Colour	Colour 100w	8/453	(160c)
4t	Tilt	100w	DLC Tilt	Tilt 100w	8/454	(160t)
5	DLC-8lamp MFL	2kw	DLC 159	DLC-8lamp MFL 2kw	1/113	(159)
5a	Power	100w	Power	Power 100w		
5c	Colour	100w	DLC Colour	Colour 100w	8/455	(159c)
5t	Tilt	100w	DLC Tilt	Tilt 100w	8/456	(159t)
6	VL 3000Q Spot	1200w	VL 67	VL 3000Q Spot 1200w	8/312	(67)
7	VL 3000Q Spot	1200w	VL 76	VL 3000Q Spot 1200w	8/340	(76)
8	DLC-8lamp MFL	2kw	DLC 158	DLC-8lamp MFL 2kw	1/114	(158)
8a	Power	100w	Power	Power 100w		
8c	Colour	100w	DLC Colour	Colour 100w	8/457	(158c)
8t	Tilt	100w	DLC Tilt	Tilt 100w	8/458	(158t)
9	VL 3000Q Spot	1200w	VL 75	VL 3000Q Spotw/- 1200w	8/368	(75)
10	VL 3000Q Spot	1200w	VL 66	VL 3000Q Spot 1200w	8/396	(66)
11	DLC-8lamp MFL	2kw	DLC 157	DLC-8lamp MFL 2kw	1/115	(157)
11a	Power	100w	Power	Power 100w		
11c	Colour	100w	DLC Colour	Colour 100w	8/459	(157c)
11t	Tilt	100w	DLC Tilt	Tilt 100w	8/460	(157t)
12	DLC-8lamp MFL	2kw	DLC 156	DLC-8lamp MFL 2kw	1/116	(156)
12a	Power	100w	Power	Power 100w		
12c	Colour	100w	DLC Colour	Colour 100w	8/461	(156c)
12t	Tilt	100w	DLC Tilt	Tilt 100w	8/462	(156t)
13	VL 3000Q Spot	1200w	VL 65	VL 3000Q Spot 1200w	8/424	(65)
14w	S4PAR64 WFL	575w	Worklight	S4PAR64 WFL 575w	1/117	(1006)
15w	S4PAR64 WFL	575w	Switched worker	S4PAR64 WFL 575w		
A	DLT	200w	Reset	DLT 200w	8/452	(158.20)

**Electric 4**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/466	(503)
2	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/470	(502)
3	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/474	(521)
4	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/478	(501)
5	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/482	(500)
6	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	8/486	(520)
7	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
8	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
9	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
10	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
11	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
12	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
13	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
14	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/133	(754)
15	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
16	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
17	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
18	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
19	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
20	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
21	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
22	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/134	(753)
23	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
24	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
25	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
26	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
27	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
28	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
29	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
30	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/135	(755)
31	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
32	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
33	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
34	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
35	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
36	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
37	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)
38	PAR64 S/N ACL	250w	Balrog	PAR64 S/N ACL 250w	1/136	(756)

**SR Boom 1**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	26° S4	750w	Mordor Line FAR	26° S4 750w	1/289	(306)
1s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/180	(306s)
2	26° S4	750w	Mordor Line Near	26° S4 750w	1/290	(308)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/182	(308s)
3	26° S4	750w	Bay X - Tormenter Bay	26° S4w/Tee 750w	1/291	(228)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/184	(228s)
4	50° S4	750w	Enviro	50° S4 750w	1/292	(612)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/186	(612s)
5	36° S4	750w	Ring Side	36° S4 750w	1/302	(229)
6	50° S4	750w	Low X-Light	50° S4 750w	1/293	(616)
6s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/188	(616s)
7	50° S4	750w	Shin DS	50° S4 750w	1/294	(614)
7s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/190	(614s)
8	36° S4	750w	Gollum X	36° S4 750w	1/295	(732)

**SR Boom 2**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
	S4 Diveritronics 26		Strobe	S4 Diveritronics 26	11/450	(525)
1	ETC Rev	900w	REV 120	ETC Revw/- 900w	10/1	(120)
2	ETC Rev	900w	REV 121	ETC Revw/- 900w	10/32	(121)
3	36° S4	750w	Lothlorien Branches	36° S4w/Tee 750w	1/119	(230)
3s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/192	(230s)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/194	(231s)
5	36° S4	750w	Shin	36° S4w/Tee 750w	1/120	(231)

**SR Boom 3**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 122	ETC Revw/- 900w	10/68	(122)
2	26° S4	750w	TBC	26° S4 750w	1/125	(314)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/196	(314s)
3	26° S4	750w	TBC	26° S4 750w	1/126	(310)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/198	(310s)
4	26° S4	750w	Bay X	26° S4 750w	1/127	(245)
4s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/200	(245s)
5	26° S4	750w	Gondor Houses M/S	26° S4 750w	1/128	(251)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/202	(251s)
6	26° S4	750w	H/H X	26° S4 750w	1/129	(249)
6s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/204	(249s)
7	26° S4	750w	H/H X	26° S4 750w	1/130	(240)
7s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/206	(240s)
8	36° S4	750w	Shin	36° S4 750w	1/131	(430)

**SR Ladder 1 (SRL1-Static)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 123	ETC Revw/- 900w	10/99	(123)
2	ETC Rev	900w	REV 124	ETC Revw/- 900w	10/130	(124)
3	ETC Rev	900w	REV 125	ETC Revw/- 900w	10/161	(125)
4	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	10/474	(516)

4p

**SR Ladder 2 (SRL2-Moving)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Galadrial Flown IN	19° S4w/6.25"Tophat 750w	1/266	(420)
2	19° S4	750w	Galadrial Flown IN	19° S4w/6.25"Tophat 750w	1/266	(420)
3	26° S4	750w	Frodo X Light U/ S of Gauze	26° S4 750w	1/267	(282)
4	26° S4	750w	Lothlorien Branches	26° S4 750w	1/268	(280)
5	26° S4	750w	Bay X	26° S4 750w	1/269	(247)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/208	(247s)
6	26° S4	750w	H/H X	26° S4 750w	1/270	(242)
6s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/210	(242s)

**SR Ladder 3 (SRL3)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 126	ETC Revw/- 900w	10/192	(126)
2	ETC Rev	900w	REV 127	ETC Revw/- 900w	10/223	(127)
3	ETC Rev	900w	REV 128	ETC Revw/- 900w	10/254	(128)

**SR Boom 4**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
4	26° S4	750w	Bay X	26° S4 750w	1/273	(266)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520 150w	2/241	(266s)
5	26° S4	750w	H/H X	26° S4 750w	1/272	(260)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520 150w	2/240	(260s)

**SR Boom 5**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 129	ETC Revw/- 900w	10/285	(129)
2	ETC Rev	900w	REV 130	ETC Revw/- 900w	10/316	(130)
3	ETC Rev	900w	REV 131	ETC Revw/- 900w	10/347	(131)
4	26° S4	750w	Bay X	26° S4 750w	1/276	(268)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/243	(268s)
5	26° S4	750w	H/H X	26° S4 750w	1/275	(262)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/242	(262s)

**SR Ladder 4 (SRL4)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 132	ETC Revw/- 900w	10/378	(132)
2	ETC Rev	900w	REV 133	ETC Revw/- 900w	10/409	(133)
3	ETC Rev	900w	REV 134	ETC Revw/- 900w	10/440	(134)
4	26° S4	750w	HH X	26° S4 750w	1/278	(270)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/244	(270s)
5	26° S4	750w	Bay X	26° S4 750w	1/279	(264)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/245	(264s)

**SR Ladder 5 (SRL5)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	26° S4	750w	C/S-L	26° S4 750w	1/282	(272)
1s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/246	(272s)
2	26° S4	750w	TBC	26° S4w/6.25"Tophat 750w	1/283	(394)
3	36° S4	750w	H/H X L	36° S4 750w	1/284	(274)
3s	4"RamII 4520	150w	Scroller	4"RamII 4520 150w	2/247	(274s)
4	26° S4	750w	Gondor Houses Enter U/S	26° S4w/6.25"Tophat 750w	1/285	(396)

**Shins SR**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1a	36° S4	750w	Shin	36° S4 750w	1/271	(432)
1c	26° S4	750w	Bilbo Banner	26° S4 750w	1/271	(432)
3	36° S4	750w	Shin	36° S4 750w	1/274	(434)
4	36° S4	750w	Shin	36° S4 750w	1/277	(436)
5	36° S4	750w	Shin	36° S4 750w	1/280	(438)
6	36° S4	750w	Shin	36° S4 750w	1/281	(440)

**Last Battle Shins SR**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
	36° S4	750w	Shin Slot	36° S4 750w	1/287	(741)
1	36° S4	750w	Tight Shin Cut	36° S4 750w	1/271	(432)
2	36° S4	750w	Tight Shin Cut	36° S4 750w	1/274	(434)
3	36° S4	750w	Tight Shin Cut	36° S4 750w	1/277	(436)
4	36° S4	750w	Tight Shin Cut	36° S4 750w	1/280	(438)
5	36° S4	750w	Tight Shin Cut	36° S4 750w	1/281	(440)

**SL Boom 1**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Legolas Fly	19° S4w/6.25" Tophat 750w	1/1	(307)
2	26° S4	750w	Bay X - Tormenter Bay	26° S4 750w	1/2	(233)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/142	(233s)
3	50° S4	750w	Enviro	50° S4 750w	1/3	(613)
3s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/144	(613s)
4	36° S4	750w	Ring Side	36° S4 750w	1/356	(235)
5	50° S4	750w	Low X-Light	50° S4 750w	1/4	(617)
5s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/146	(617s)
6	50° S4	750w	Shin DS	50° S4 750w	1/5	(615)
6s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" S/NTophat 300w	2/148	(615s)

**SL Boom 2**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 135	ETC Revw/- 900w	9/1	(135)
2	ETC Rev	900w	REV 136	ETC Revw/- 900w	9/32	(136)
3	36° S4	750w	Lothlorien Branches	36° S4w/Tee 750w	1/19	(236)
3s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/150	(236s)
4	36° S4	750w	Shin	36° S4w/Tee 750w	1/20	(237)
4s	7.5"CXI 7200	300w	Scroller	7.5"CXI 7200w/10" Tophat 300w	2/152	(237s)

**SL Boom 3**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 137	ETC Revw/- 900w	9/68	(137)
2	26° S4	750w	Frodo Wilderness C Platform X	26° S4 750w	1/21	(315)
2s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/154	(315s)
3	26° S4	750w	Bay X	26° S4 750w	1/23	(246)
3s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/158	(246s)
4	26° S4	750w	Gondor Houses M/S	26° S4 750w	1/24	(252)
4s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/160	(252s)
5	26° S4	750w	Bay X	26° S4 750w	1/25	(250)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/162	(250s)
6	26° S4	750w	H/H X	26° S4 750w	1/26	(241)
6s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25" Tophat 300w	2/164	(241s)
7	26° S4	750w	Frodo Vanish X	26° S4 750w	1/22	(309)
8	36° S4	750w	Shin	36° S4 750w	1/27	(431)

**SL Ladder 1 (SLL1-Static)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 138	ETC Revw/- 900w	9/99	(138)
2	ETC Rev	900w	REV 139	ETC Revw/- 900w	9/130	(139)
3	ETC Rev	900w	REV 140	ETC Revw/- 900w	9/161	(140)
4	Mrtm Atomic Strb	1500w	EFX	Mrtm Atomic Strb 1500w	9/477	(517)

4p

**SL Ladder 2 (SLL2- Moving)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	19° S4	750w	Galadrial Flown IN	19° S4w/6.25"Tophat 750w	1/30	(421)
2	19° S4	750w	Galadrial Flown IN	19° S4w/6.25"Tophat 750w	1/30	(421)
3	26° S4	750w	Frodo X Light U/ S of Gauze	26° S4 750w	1/31	(281)
4	26° S4	750w	Lothlorien Branches	26° S4 750w	1/32	(283)
5	26° S4	750w	Bay X	26° S4 750w	1/33	(248)
5s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/166	(248s)
6	26° S4	750w	H/H X	26° S4 750w	1/34	(243)
6s	4"CXI 4560	300w	Scroller	4"CXI 4560w/6.25"Tophat 300w	2/168	(243s)

**SL Ladder 3 (SLL3)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 141	ETC Revw/- 900w	9/192	(141)
2	ETC Rev	900w	REV 142	ETC Revw/- 900w	9/223	(142)
3	ETC Rev	900w	REV 143	ETC Revw/- 900w	9/254	(143)

**SL Boom 4**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
4	26° S4	750w	Bay X	26° S4 750w	1/42	(267)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520 150w	2/221	(267s)
5	26° S4	750w	H/H X	26° S4 750w	1/41	(261)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520 150w	2/220	(261s)

**SL Boom 5**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 144	ETC Revw/- 900w	9/285	(144)
2	ETC Rev	900w	REV 145	ETC Revw/- 900w	9/316	(145)
3	ETC Rev	900w	REV 146	ETC Revw/- 900w	9/347	(146)
4	26° S4	750w	Bay X	26° S4 750w	1/54	(269)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/223	(269s)
5	26° S4	750w	H/H X	26° S4 750w	1/53	(263)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/222	(263s)

**SL Ladder 4 (SLL4)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	ETC Rev	900w	REV 147	ETC Revw/- 900w	9/378	(147)
2	ETC Rev	900w	REV 148	ETC Revw/- 900w	9/409	(148)
3	ETC Rev	900w	REV 149	ETC Revw/- 900w	9/440	(149)
4	26° S4	750w	HH X	26° S4 750w	1/69	(271)
4s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/224	(271s)
5	26° S4	750w	Bay X	26° S4 750w	1/70	(265)
5s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/225	(265s)

**SL Ladder 5 (SLL5)**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	26° S4	750w	C/S-R	26° S4 750w	1/57	(273)
1s	4"RamII 4520	150w	Scroller	4"RamII 4520w/6.25"Tophat 150w	2/226	(273s)
2	26° S4	750w	TBC	26° S4w/6.25"Tophat 750w	1/58	(395)
3	36° S4	750w	H/H X R	36° S4 750w	1/59	(275)
4	26° S4	750w	Gondor Houses Enter U/S	26° S4w/6.25"Tophat 750w	1/60	(397)

**Shins SL**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
2	36° S4	750w	Shin	36° S4 750w	1/35	(433)
3	36° S4	750w	Shin	36° S4 750w	1/43	(435)
4	36° S4	750w	Shin	36° S4 750w	1/55	(437)
5	36° S4	750w	Shin	36° S4 750w	1/71	(439)
6	36° S4	750w	Shin	36° S4 750w	1/72	(441)

**Last Battle Shins SL**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
	36° S4	750w	Shin Slot	36° S4 750w	1/63	(744)
1	36° S4	750w	Tight Shin Cut	36° S4 750w	1/35	(433)
2	36° S4	750w	Tight Shin Cut	36° S4 750w	1/43	(435)
3	36° S4	750w	Tight Shin Cut	36° S4 750w	1/55	(437)
4	36° S4	750w	Tight Shin Cut	36° S4 750w	1/71	(439)
5	36° S4	750w	Tight Shin Cut	36° S4 750w	1/72	(441)

**Trap Room**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	S4PAR64 WFL	575w	S/Efx USL	S4PAR64 WFL 575w	1/346	(720)
2	S4PAR64 WFL	575w	S/Efx USR	S4PAR64 WFL 575w	1/346	(720)
3	S4PAR64 WFL	575w	S/Efx USL	S4PAR64 WFL 575w	1/347	(721)
4	S4PAR64 WFL	575w	S/Efx USR	S4PAR64 WFL 575w	1/347	(721)
5	S4PAR64 WFL	575w	S/Efx USL	S4PAR64 WFL 575w	1/348	(722)
6	S4PAR64 WFL	575w	S/Efx USR	S4PAR64 WFL 575w	1/348	(722)
7	S4PAR64 WFL	575w	S/Efx DSL	S4PAR64 WFL 575w	1/354	(723)
8	S4PAR64 WFL	575w	S/Efx DSR	S4PAR64 WFL 575w	1/354	(723)
9	S4PAR64 WFL	575w	S/Efx DSL	S4PAR64 WFL 575w	1/353	(724)
10	S4PAR64 WFL	575w	S/Efx DSR	S4PAR64 WFL 575w	1/353	(724)
11	S4PAR64 WFL	575w	S/Efx DSL	S4PAR64 WFL 575w	1/352	(725)
12	S4PAR64 WFL	575w	S/Efx DSR	S4PAR64 WFL 575w	1/352	(725)
13	S4 PAR64 VNSP	575w	Gollum Uplight	S4 PAR64 VNSP 575w	1/351	(726)
14	Not Used	575w	S/Efx	Not Used 575w	1/351	
17	S4PAR64 WFL	575w	S/Efx	S4PAR64 WFL 575w	1/349	(728)
18	S4PAR64 WFL	575w	S/Efx	S4PAR64 WFL 575w	1/349	(728)

**SL Fly Rail**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
4	MDG Atmosphere	1500w	Haze	MDG Atmosphere 1500w		(551)
4p		1500w	Haze	1500w	9/471	(551p)
4v		1500w	Haze	1500w	9/472	(551v)
5f	Bowen 10" Fan	200w	Haze	Bowen 10" Fan 200w	9/473	(556)
6	Altman UV	400w	Crack of Doom	Altman UV 400w	9/63	(561)
6p						

**SR Fly Rail**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	10° S4	750w	Tree Beard Reveal	10° S4w/Iris S4 750w	1/137	(400)
2	10° S4	750w	Tree Beard D/S	10° S4w/Iris S4 750w	1/138	(402)
3	10° S4	750w	Tree Beard U/S	10° S4 750w	1/139	(408)
5	MDG Atmosphere	1500w	Haze	MDG Atmosphere 1500w		(553)
5p		1500w	Haze	1500w	10/471	(553p)
5v		1500w	Haze	1500w	10/472	(553v)
6f	Bowen 10" Fan	200w	Haze	Bowen 10" Fan 200w	10/473	(558)
7	Altman UV	400w	Crack of Doom	Altman UV 400w	10/63	(561)
7p						

**SL Wing Workers**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/56	(1004)
2	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/56	(1004)
3	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/68	(1004)
4	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/68	(1004)
5	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/68	(1004)

**SR Wing Workers**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/108	(1005)
2	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/108	(1005)
3	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/109	(1005)
4	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/109	(1005)
5	50° S4	750w	Worklight	50° S4w/6.25" S/N Tophat 750w	1/109	(1005)

**SL Plugging Floor**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	REMOTE STRIKE	1kw	HMI Remote Strike	REMOTE STRIKE 1kw	2/400	(1000)
1	ARRI HMI Fres	2500w	Big B/L	ARRI HMI Fres 2500w	8/463	(399)
1t	ARRI Douser	300w	Arri Douser	ARRI Douserw/Barndoors 300w	2/229	(399d)

**US Crossover**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	36° S4	750w		36° S4 750w	1/265	(1014)
2	36° S4	750w		36° S4 750w	1/265	(1014)

**Bridge Work and Running Lights**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Coda Flood	500w	Worklight LX No 2	Coda Flood 500w	1/241	(1007)
2	Coda Flood	500w	Worklight LX No 2	Coda Flood 500w	1/241	(1007)
3	Coda Flood	500w	Worklight LX No 2	Coda Flood 500w	1/241	(1007)
4	Coda Flood	500w	Worklight SL Bridge 1	Coda Flood 500w	1/243	(1007)
5	Coda Flood	500w	Worklight SL Bridge 1	Coda Flood 500w	1/243	(1007)
6	Coda Flood	500w	Worklight SR Bridge 1	Coda Flood 500w	1/242	(1007)
7	Coda Flood	500w	Worklight SR Bridge 1	Coda Flood 500w	1/242	(1007)
8	Coda Flood	500w	Worklight Bridge 2	Coda Flood 500w	1/244	(1007)
9	Coda Flood	500w	Worklight Bridge 2	Coda Flood 500w	1/244	(1007)
10	Coda Flood	500w	Worklight Bridge 2	Coda Flood 500w	1/244	(1007)
11	Coda Flood	500w	Worklight Bridge 3	Coda Flood 500w	1/245	(1007)
12	Coda Flood	500w	Worklight Bridge 3	Coda Flood 500w	1/245	(1007)
13	Coda Flood	500w	Worklight Bridge 3	Coda Flood 500w	1/245	(1007)
14	Coda Flood	500w	Worklight Bridge 4	Coda Flood 500w	1/246	(1007)
15	Coda Flood	500w	Worklight Bridge 4	Coda Flood 500w	1/246	(1007)
16	Coda Flood	500w	Worklight Bridge 4	Coda Flood 500w	1/246	(1007)
17	Blue Rope Light		Running Light LX No 2	Blue Rope Light	1/253	(1009)
18	Blue Rope Light		Running Light Br1 SL	Blue Rope Light	1/254	(1009)
19	Blue Rope Light		Running Light Br1 SR	Blue Rope Light	1/255	(1009)
20	Blue Rope Light		Running Light Br 2	Blue Rope Light	1/256	(1009)
21	Blue Rope Light		Running Light Br 3	Blue Rope Light	1/257	(1009)
22	Blue Rope Light		Running Light Br 4	Blue Rope Light	1/258	(1009)
23	Coda Flood	500w	Switched worker LX No 2	Coda Flood 500w		
24	Coda Flood	500w	Switched worker Br1 SL	Coda Flood 500w		
25	Coda Flood	500w	Switched worker Br1 SR	Coda Flood 500w		
26	Coda Flood	500w	Switched worker Br 2	Coda Flood 500w		

**Bridge Work and Running Lights**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
27	Coda Flood	500w	Switched worker Br 3	Coda Flood 500w		
28	Coda Flood	500w	Switched worker Br 4	Coda Flood 500w		

**Lothlorien**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
2	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/325	(705)
3	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/325	(705)
4	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/325	(705)
5	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/325	(705)
6	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/326	(706)
7	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/326	(706)
8	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/326	(706)
9	PAR64 S/N ACL	250w	Arms of Tree	PAR64 S/N ACL 250w	1/326	(706)
10	LEDS	250w	Power	LEDS 250w		(800)
11	WDS DMX Receiver	150w	Power	WDS DMX Receiver 150w		(800)
12	LEDS	250w	Branch 1	LEDS 250w	12/1	(801)
13	LEDS	250w	Branch 1	LEDS 250w	12/2	(802)
14	LEDS	250w	Branch 1	LEDS 250w	12/3	(803)
15	LEDS	250w	Branch 1	LEDS 250w	12/4	(804)
16	LEDS	250w	Branch 2	LEDS 250w	12/5	(805)
17	LEDS	250w	Branch 2	LEDS 250w	12/6	(806)
18	LEDS	250w	Branch 2	LEDS 250w	12/7	(807)
19	LEDS	250w	Branch 2	LEDS 250w	12/8	(808)
20	LEDS	250w	Branch 3	LEDS 250w	12/9	(809)
21	LEDS	250w	Branch 3	LEDS 250w	12/10	(810)
22	LEDS	250w	Branch 3	LEDS 250w	12/11	(811)
23	LEDS	250w	Branch 3	LEDS 250w	12/12	(812)
24	LEDS	250w	Branch 4	LEDS 250w	12/13	(813)
25	LEDS	250w	Branch 4	LEDS 250w	12/14	(814)
26	LEDS	250w	Branch 4	LEDS 250w	12/15	(815)
27	LEDS	250w	Branch 4	LEDS 250w	12/16	(816)
28	LEDS	250w	Branch 5	LEDS 250w	12/81	(881)
29	LEDS	250w	Branch 5	LEDS 250w	12/82	(882)
30	LEDS	250w	Branch 5	LEDS 250w	12/83	(883)
31	LEDS	250w	Branch 5	LEDS 250w	12/84	(884)
32	LEDS	250w	Branch 6	LEDS 250w	12/85	(885)
33	LEDS	250w	Branch 6	LEDS 250w	12/86	(886)
34	LEDS	250w	Branch 6	LEDS 250w	12/87	(887)
35	LEDS	250w	Branch 6	LEDS 250w	12/88	(888)
36	LEDS	250w	Branch 7	LEDS 250w	12/89	(889)
37	LEDS	250w	Branch 7	LEDS 250w	12/90	(890)
38	LEDS	250w	Branch 7	LEDS 250w	12/91	(891)
39	LEDS	250w	Branch 7	LEDS 250w	12/92	(892)

**Mordor Bar**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
2	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	10/478	(505)
3	Mrtn Atomic Strb	1500w	EFX	Mrtn Atomic Strb 1500w	10/482	(504)
4	Patt.743 - (No Lens)	1kw	Last Battle	Patt.743 - (No Lens) 1kw	1/298	(767)

**Vanish Truck**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Par 16 -75w Narrow	75w	Bilbo Vanish ( Face)	Par 16 -75w Narrow 75w	1/296	(761)
2	Par 16 -75w Narrow	75w	Bilbo Vanish	Par 16 -75w Narrow 75w	1/296	(761)
3	PAR 16 EYF	75w	Bilbo Vanish	PAR 16 EYF 75w	1/296	(761)
4	Par 16 -75w Narrow	75w	Bilbo Vanish	Par 16 -75w Narrow 75w	1/340	(765)
5	Par 16 -75w Narrow	75w	Bilbo Vanish	Par 16 -75w Narrow 75w	1/340	(765)
6	PAR 16 EYF	75w	Bilbo Vanish	PAR 16 EYF 75w	1/340	(765)
7	SL Tree Lights			SL Tree Lights	1/341	(769)
8	SR Tree Lights			SR Tree Lights	1/297	(768)

**Mole Fan SL**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	24" Mole Fan		Spfx	24" Mole Fan		

**Mole Fan SR**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	24" Mole Fan		Spfx	24" Mole Fan		

**PSU's**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	RAM PS1 Upper Circle	600w	RAM Fan	RAM PS1 Upper Circle 600w	2/512	(2002)
2	RAM PS2 Grand Circle	600w	RAM Fan	RAM PS2 Grand Circle 600w	2/512	(2002)
3	RAM PS3 FOH Truss	600w	RAM Fan	RAM PS3 FOH Truss 600w	2/512	(2002)
4	RAM PS4 SL Boxes and Booms	600w	RAM Fan	RAM PS4 SL Boxes and Booms 600w	2/512	(2002)
5	RAM PS5 SR Boxes and Booms	600w	RAM Fan	RAM PS5 SR Boxes and Booms 600w	2/512	(2002)
6	RAM PS6 SL Side DS	600w		RAM PS6 SL Side DS 600w	2/511	(2003)
7	RAM PS7 SR Side DS	600w		RAM PS7 SR Side DS 600w	2/511	(2003)
8	RAM PS8 SL Side US	600w		RAM PS8 SL Side US 600w	2/511	(2003)
9	RAM PS9 SR Side US	600w		RAM PS9 SR Side US 600w	2/511	(2003)
10	SL Rainbow Scroller PSU R&V			SL Rainbow Scroller PSU R&V		
11	SR Rainbow Scroller PSU R&V			SR Rainbow Scroller PSU R&V		

### House Lights

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1					1/98	(900)

### Moon Masking

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source (SL)	100w	Fibre Optic	Fibre Source (SL) 100w	1/408	(828)
2	Fibre Source (SR)	100w	Fibre Optic	Fibre Source (SR) 100w	1/390	(828)

### SL Legs

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/404	(824)
2	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/405	(825)
3	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/406	(826)
4	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/407	(827)

### SR Legs

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/386	(824)
2	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/387	(825)
3	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/388	(826)
4	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/389	(827)

### Tormenter Header/Legs

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source (SL)	100w	Fibre Optic	Fibre Source (SL) 100w	1/403	(823)
2	Fibre Source (SR)	100w	Fibre Optic	Fibre Source (SR) 100w	1/385	(823)

### FOH Header

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Back Pack		Fibre Optic Stars	Back Pack	3/495	(820)

### SR Auditorium

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/220	(822)

### SL Auditorium

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Fibre Source	100w	Fibre Optic	Fibre Source 100w	1/210	(821)

### USC

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	LED	2w	UC LED Safety	LED 2w	1/336	(1015)

### Apron

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	LEDS	10w	Safety	LEDS 10w	1/355	(1012)

**Orch Pit**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	RAT Music Stand	25w	Stand Lights	RAT Music Stand 25w		(901)

**Grand Circle**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
A	Scroller Fans	1w	Grand Circle Scroller Fans	Scroller Fans 1w		(2002)

**Stand**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	50° S4	750w	Backlight	50° S4w/iris 750w	1/288	(761)

**Cwt**

Unit	Instrument Type	Watts	Purpose	Type, Accessories, Watts	Dim	Channel
1	Prac Lamps		Hanging Lamps	Prac Lamps	1/327	(770)
2	Prac Lamps		Hanging Lamps	Prac Lamps	1/328	(771)